

Community Health Assessment: Southeast District Health Department

	Otoe	Johnson	Nemaha	Pawnee	Richardson	Southeast District Total	Nebraska	United States
Standard I : Community Health Assessment Measures								
Data about community health, environmental health risks, health disparities and access								
1.1.1. Community Demographics								
1.1.1.a. Total population - 2011 Census Estimates	15,798	5,211	7,280	2,735	8,345	39,369	1,842,641	303,534,609
Square Miles	615	376	408	432	553	2,384	76,589	
1.1.1.b. Population density	25.7	13.9	17.8	6.3	15.1	16.5	24.1	
1.1.1.c. Population by gender / RE								
Male	7,719	3,027	3,574	1,374	4,121	19,815	915,249	
Caucasian	7,502	2,636	3,475	1,343	3,879	18,835	824,288	
Black	63	279	43	7	16	408	44,385	
Native American	21	59	11	5	134	230	12,041	
Asian	45	35	10	2	10	102	17,756	
Hispanic	467	309	67	19	74	936	92,064	
Minority	658	687	159	48	299	1,851	172,097	
Female	8,079	2,184	3,706	1,361	4,224	19,554	927,392	
Caucasian	7,883	2,113	3,597	1,329	3,993	18,915	836,409	
Black	37	8	26	4	6	81	42,739	
Native American	27	3	13	5	134	182	11,823	
Asian	54	40	28	6	18	146	19,173	
Hispanic	435	170	69	22	52	748	82,452	
Minority	614	233	165	51	269	1,332	163,603	
1.1.1.d. Population by age/race/ethnicity								
Total	15,798	5,211	7,280	2,735	8,345	39,369	1,842,641	
0-4	995	281	452	138	425	2,291	131,472	
5-14	2,089	555	807	331	1,018	4,800	253,847	
15-24	1,713	526	1,226	273	848	4,586	259,775	
25-44	3,465	1,375	1,432	487	1,647	8,406	469,326	
45-64	4,567	1,559	2,050	809	2,478	11,463	477,839	
65-74	1,355	437	595	309	919	3,615	126,090	
75-84	979	302	474	248	648	2,651	83,774	
85+	635	176	244	140	362	1,557	40,518	
Caucasian	15,385	4,749	7,072	2,672	7,872	37,750	1,660,697	
0-4	946	264	433	133	372	2,148	110,674	
5-14	2,001	525	774	310	905	4,515	217,753	
15-24	1,634	469	1,146	267	775	4,291	226,997	
25-44	3,357	1,151	1,395	474	1,530	7,907	418,282	

Community Health Assessment: Southeast District Health Department

Standard I : Community Health Assessment Measures	Otoe	Johnson	Nemaha	Pawnee	Richardson	Southeast District Total	Nebraska	United States
45-64	4,497	1,443	2,020	797	2,399	11,156	446,091	
65-74	1,344	421	591	307	894	3,557	120,208	
75-84	972	300	471	246	639	2,628	81,005	
85+	634	176	242	138	358	1,548	39,687	
Black	100	287	69	11	22	489	87,124	
0-4	16	3	6	0	2	27	8,290	
5-14	19	6	10	5	11	51	15,162	
15-24	24	32	43	3	1	103	15,533	
25-44	21	170	5	2	5	203	24,467	
45-64	19	73	4	1	2	99	17,996	
65-74	0	3	1	0	0	4	3,367	
75-84	0	0	0	0	1	1	1,795	
85+	1	0	0	0	0	1	514	
Native American	48	62	24	10	268	412	23,864	
0-4	1	0	2	0	24	27	2,671	
5-14	10	2	4	4	54	74	5,032	
15-24	7	11	8	0	52	78	4,260	
25-44	16	32	4	4	65	121	6,686	
45-64	10	15	5	1	52	83	4,204	
65-74	2	1	1	0	15	19	667	
75-84	2	1	0	0	5	8	262	
85+	0	0	0	1	1	2	82	
Asian	99	75	38	8	28	248	36,929	
0-4	6	6	1	0	1	14	3,008	
5-14	20	9	3	0	5	37	5,697	
15-24	18	11	8	1	2	40	6,428	
25-44	33	16	11	2	12	74	13,286	
45-64	19	23	12	3	7	64	6,500	
65-74	3	9	0	2	1	15	1,365	
75-84	0	1	2	0	0	3	507	
85+	0	0	1	0	0	1	138	
Hispanic	902	479	136	41	126	1,684	174,516	
0-4	121	39	12	4	11	187	23,246	
5-14	206	97	23	11	31	368	38,934	
15-24	156	68	42	7	19	292	31,273	
25-44	237	195	32	8	36	508	53,015	

Community Health Assessment: Southeast District Health Department

	Otoe	Johnson	Nemaha	Pawnee	Richardson	Southeast District Total	Nebraska	United States
Standard I : Community Health Assessment Measures								
45-64	146	71	20	9	18	264	22,970	
65-74	19	5	4	1	5	34	3,122	
75-84	14	3	2	1	6	26	1,500	
85+	3	1	1	0	0	5	456	
Minority	1,272	920	324	99	568	3,183	335,700	
0-4	162	53	29	9	59	312	40,739	
5-14	288	125	53	30	139	635	69,900	
15-24	223	121	116	12	87	559	60,234	
25-44	336	414	62	19	140	971	98,154	
45-64	208	180	49	21	94	552	52,486	
65-74	30	21	7	3	30	91	8,751	
75-84	21	5	5	3	15	49	4,180	
85+	4	1	3	2	4	14	1,256	
1.1.1.f. Total live births-2011	212	51	82	27	86	458	25,722	
1.1.1.g. Deaths-2011	183	61	81	31	112	468	15,473	
1.1.1.h. Population - 2000	15,430	4,481	7,567	3,083	9,503	40,064	1,713,345	
Population 2011 - Population 2000	368	730	-287	-348	-1,158	-695	129,296	
1.1.1.i. Household x type x children/no children (2010)	6,362	1,847	2,952	1,230	3,718	16,109	721,130	
Families	4,341	1,214	1,848	756	2,299	10,458	467,206	
Married couples with children <18	1,303	363	538	192	585	2,981	152,991	
Single parent families	505	110	211	76	274	1,176	61,541	
Single parent male household with children <18	182	32	66	33	81	394	16,815	
Single parent female household with children <18	323	78	145	43	193	782	44,726	
Non-family household	2,021	633	1,104	474	1,419	5,651	253,924	
1.1.1.j. Household x type x R/E (2010)								
Caucasian								
Families	4,171	1,138	1,821	745	2,199	10,074	416,522	
Married couples with children <18	1,235	332	532	187	553	2,839	134,724	
Single parent families	460	97	200	74	244	1,075	46,852	
Single parent male household with children <18	165	28	63	33	71	360	13,418	
Single parent female household with children <18	295	69	137	41	173	715	33,434	
Non-family household								
Black								
Families	18	0	4	1	3	26	18,508	
Married couples with children <18	3	0	1	1	0	5	3,929	
Single parent families	6	0	2	0	1	9	6,982	

Community Health Assessment: Southeast District Health Department

	Otoe	Johnson	Nemaha	Pawnee	Richardson	Southeast District Total	Nebraska	United States
Standard I : Community Health Assessment Measures								
Single parent male household with children <18	2	0	0	0	1	3	1,132	
Single parent female household with children <18	4	0	2	0	0	6	5,850	
Non-family household								
Native American								
Families	11	3	4	0	61	79	3,651	
Married couples with children <18	2	1	2	0	18	23	982	
Single parent families	3	0	1	0	17	21	1,226	
Single parent male household with children <18	1	0	1	0	5	7	279	
Single parent female household with children <18	2	0	0	0	12	14	947	
Non-family household								
Asian								
Families	14	17	4	0	4	39	7,069	
Married couples with children <18	7	8	2	0	3	20	3,526	
Single parent families	5	1	1	0	1	8	734	
Single parent male household with children <18	3	0	0	0	0	3	222	
Single parent female household with children <18	2	1	1	0	1	5	512	
Non-family household								
Hispanic								
Families	178	68	14	8	17	285	32,349	
Married couples with children <18	79	31	8	2	8	128	15,224	
Single parent families	47	14	3	4	4	72	7,784	
Single parent male household with children <18	15	4	1	0	2	22	2,532	
Single parent female household with children <18	32	10	2	4	2	50	5,252	
Non-family household								
1.1.2. Community Socioeconomic Characteristics								
1.1.2.a. Per capita income (05-09 ACS)	\$23,112	\$18,319	\$21,914	\$20,801	\$20,622	\$21,563	\$24,610	
1.1.2.b. Median household income (2010)	\$46,921	\$41,092	\$41,160	\$36,611	\$35,508	\$41,934	\$48,451	
1.1.2.c. Unemployment (2010)	5.0%	4.2%	6.8%	3.3%	6.5%	5.4%	4.3%	
1.2.d. Percent of population below 100% of poverty (05-09 ACS)	12.2%	11.9%	13.3%	11.2%	12.5%	12.4%	11.8%	
1.2.e. Percent of children age 5-17 living below 100% of poverty (05-09 ACS)	15.7%	9.8%	6.5%	7.6%	12.5%	12.3%	13.4%	
1.1.2.f. Percent of population below 100% of poverty by R/E (05-09 ACS)								
Caucasian	11.9%	11.7%	13.4%	11.2%	11.6%	12.0%	9.9%	
Black	0.0%	NA	NA	NA	NA	0.0%	34.0%	
Native American	0.0%	58.7%	34.4%	0.0%	38.8%	33.5%	34.5%	
Asian	13.6%	1.9%	0.0%	NA	0.0%	2.6%	13.8%	
Hispanic	43.1%	18.7%	63.1%	100.0%	0.0%	35.5%	22.8%	

Community Health Assessment: Southeast District Health Department

	Otoe	Johnson	Nemaha	Pawnee	Richardson	Southeast District Total	Nebraska	United States
Standard I : Community Health Assessment Measures								
1.1.2.g. Percent of school age children receiving the free or reduced lunch program (Pre K -	35.2%	48.7%	41.4%	61.9%	52.4%	43.3%	45.3%	
1.1.2.h. Food stamp recipients								
1.1.2.j. WIC recipients (2011)	492	179	179	74	306	1,230	75,263	
Pregnant women	8	7	6	1	14	36	2,170	
Breastfeeding	18	5	7	3	4	37	5,422	
Postpartum	102	36	41	12	62	253	13,599	
Infants	18	3	6	4	9	40	1,010	
Children	346	128	119	54	217	864	53,062	
1.1.2.k. WIC recipients x RE (2011)	488	179	179	74	306	1,226	75,268	
Caucasian	380	112	167	69	285	1,013	36,133	
Black	2	3	3	0	0	8	8,602	
Native American	2	0	0	0	6	8	949	
Asian	0	0	1	0	0	1	1,801	
Hispanic	99	60	5	3	7	174	22,684	
Other	5	4	3	2	8	22	5,099	
1.1.2.l. Medicaid eligibles (2011)	1,815	479	913	343	1,231	4,781	233,753	
1.1.2.m. Medicaid eligibles and expenditures by recipient category (2011)								
Aged	222	73	114	58	191	658	17,904	
Blind/Disabled	273	66	174	59	192	764	34,474	
Children	1,116	293	502	199	710	2,820	155,259	
ADC adults	204	46	123	27	137	537	26,128	
1.1.2.n. Medicaid covered births (2011)	58	18	22	7	41	146	7,776	
1.1.2.o. Medicaid expenditures by type of service provided								
Fee for service (2011)	\$11,661,310	\$2,905,215	\$8,053,950	\$2,398,763	\$7,556,971	\$32,576,208	\$1,343,662,679	
Capitated								
Mental health								
Medical (2011)	\$2,269,005	\$13,736	\$37,285	\$10,064	\$28,546	\$2,358,637	\$213,152,874	
1.1.2.p. Utilization of services by program								
Reproductive Health, 2011 family planning clients	94	99	149	35	70	447	22,928	
ADC (number of families)--FY2011	50	15	18	6	19	108	8,683	
SNAP (number of households)--FY2011	537	151	319	98	414	1,519	75,201	
1.1.2.q. Nursing home and hospital LTC - licensed beds (2009)	268	67	102	64	233	734	16,814	
Nursing home and hospital LTC - occupancy rate	84	84	77	70	55	73	79	
Number of persons aged 65+ in NH/LTC	226	59	75	41	137	538	13,325	

Community Health Assessment: Southeast District Health Department

	Otoe	Johnson	Nemaha	Pawnee	Richardson	Southeast District Total	Nebraska	United States
Standard I : Community Health Assessment Measures								
% of population aged 65+ in NH/LTC	7.7%	4.6%	5.5%	6.0%	7.3%	6.6%	5.5%	
1.1.2.r. Access to dental care by low income persons								
1.1.2.s. Educational attainment (05-09 ACS)								
< 9th grade	5.2%	8.2%	6.0%	3.8%	2.7%	5.1%	4.3%	
9th-11th grade	7.3%	11.0%	5.2%	7.4%	11.1%	8.3%	6.1%	
High school diploma	34.4%	40.9%	36.8%	49.7%	47.2%	39.7%	30.3%	
Some college	22.8%	19.0%	21.9%	17.4%	18.6%	20.8%	23.4%	
Associate Degree	9.4%	6.9%	6.8%	6.2%	6.6%	7.7%	8.9%	
Baccalaureate Degree	14.5%	10.5%	16.8%	11.5%	8.9%	12.9%	18.5%	
Graduate or Professional Degree	6.4%	3.6%	6.5%	4.0%	4.9%	5.5%	8.5%	
1.1.2.t. Educational Attainment by R/E (05-09 ACS)								
Caucasian								
< H.S.	11.7%	14.9%	11.0%	11.4%	14.1%	12.5%	8.8%	
High school diploma	34.3%	43.0%	37.8%	49.2%	47.7%	40.1%	30.6%	
Some college or Associate Degree	32.7%	27.6%	28.5%	23.7%	24.0%	28.7%	32.8%	
Bachelors Degree or higher	21.3%	14.5%	22.7%	15.8%	14.2%	18.7%	27.8%	
Black								
< H.S.	NA	40.2%	NA	NA	NA	40.2%	15.4%	
High school diploma	NA	34.2%	NA	NA	NA	34.2%	32.3%	
Some college or Associate Degree	NA	22.4%	NA	NA	NA	22.4%	36.0%	
Bachelors Degree or higher	NA	3.2%	NA	NA	NA	3.2%	16.3%	
Native American								
< H.S.	13.9%	67.9%	0.0%	0.0%	13.0%	33.7%	26.6%	
High school diploma	86.1%	32.1%	0.0%	100.0%	82.6%	50.3%	31.7%	
Some college or Associate Degree	0.0%	0.0%	100.0%	0.0%	4.3%	16.0%	31.5%	
Bachelors Degree or higher	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	10.3%	
Asian								
< H.S.	0.0%	36.8%	12.5%	NA	18.8%	25.0%	17.0%	
High school diploma	100.0%	2.9%	0.0%	NA	0.0%	4.4%	17.0%	
Some college or Associate Degree	0.0%	0.0%	0.0%	NA	31.3%	3.7%	17.3%	
Bachelors Degree or higher	0.0%	60.3%	87.5%	NA	50.0%	66.9%	48.6%	
Hispanic								
< H.S.	50.4%	62.3%	25.4%	0.0%	20.6%	49.1%	50.1%	
High school diploma	41.5%	22.5%	59.2%	0.0%	26.8%	32.7%	24.1%	
Some college or Associate Degree	2.8%	6.7%	15.5%	100.0%	12.4%	7.9%	17.0%	
Bachelors Degree or higher	5.3%	8.5%	0.0%	0.0%	40.2%	10.4%	8.9%	

Community Health Assessment: Southeast District Health Department

	Otoe	Johnson	Nemaha	Pawnee	Richardson	Southeast District Total	Nebraska	United States
Standard I : Community Health Assessment Measures								
1.1.3.g. Federally designated mental health shortage - 2010	X	X	X	X	X	X	P	
1.1.3.h. Federally designated dental health shortage - 2010		X				P	P	
1.1.3.j. State designated health professional shortage areas - 2010								
Family practice	I	X				I	P	
General surgery	P	X	X	X	X	P	P	
Internal medicine	P	X	X	X	X	P	P	
Pediatrics	P	X	X	X	X	P	P	
Obstetrics/Gynecology	P	X	X	X	X	P	P	
Psychiatrics	P	X	X	X	X	P	P	
Dental	I	I			X	I	P	
Pharmacy		X		X	X	P	P	
Occupational Therapy	I	I	P			I	P	
Physical Therapy	I	I				I	P	
1.1.3.k. Number of health professionals in area (2012)								
Physicians	9	6	5	2	4	26	3,715	
FM/GP	8	5	5	2	4	24	722	
Internal Medicine	0	0	0	0	0	0	261	
Pediatrics	0	0	0	0	0	0	208	
OB/GYN	0	0	0	0	0	0	163	
Psychiatrists	0	1	0	0	0	1	150	
Dentists	9	2	3	2	3	19	1,017	
Pharmacists	13	4	7	3	6	33	1,928	
Physical Therapists (2010)	6	1	3	1	4	15	1,251	
Physician Assistants	6	2	3	2	1	14	745	
Nurse Practitioners	1	2	0	1	2	6	806	
RN's (2010)	155	54	58	29	73	369	22,346	
LPN's (2010)	68	40	27	13	64	212	6,789	
1.1.3.l. Persons served per health professional (2012)								
Physicians	1,755	869	1,456	1,368	2,086	1,514	496	
FM/GP	1,975	1,042	1,456	1,368	2,086	1,640	2,552	
Internal Medicine	NA	NA	NA	NA	NA	NA	7,060	
Pediatrics	NA	NA	NA	NA	NA	NA	8,859	
OB/GYN	NA	NA	NA	NA	NA	NA	11,305	
Psychiatrists	NA	5,211	NA	NA	NA	39,369	12,284	
Dentists	1,755	2,606	2,427	1,368	2,782	2,072	1,812	

Community Health Assessment: Southeast District Health Department

Standard I : Community Health Assessment Measures	Otoe	Johnson	Nemaha	Pawnee	Richardson	Southeast District Total	Nebraska	United States
Pharmacists	1,215	1,303	1,040	912	1,391	1,193	956	
Physical Therapists (2010)	2,592	4,499	2,362	2,602	2,074	2,535	1,426	
Physician Assistants	2,633	2,606	2,427	1,368	8,345	2,812	2,473	
Nurse Practitioners	15,798	2,606	NA	2,735	4,173	6,562	2,286	
RN's (2010)	100	83	122	90	114	103	80	
LPN's (2010)	229	112	262	200	130	179	263	
1.1.3.m. MUA/MUP Status								
1.1.3.n. Ambulance Services (2010)	7	3	6	1	3	20	416	
1.1.3.o. Availability of transportation services								
1.1.4. Quality of Life Data								
1.1.4.a. General health good to excellent - 2007						84.4%	88.4%	
General health good to excellent - 2008						88.4%	88.6%	
General health good to excellent - 2009						87.1%	87.4%	
General health good to excellent - 2010						87.1%	88.4%	
Ten or more days in last month when physical health was not good - 2008						10.2%	9.3%	
Ten or more days in last month when physical health was not good - 2009						9.6%	10.8%	
Ten or more days in last month when physical health was not good - 2010						12.9%	10.4%	
Ten or more days in last month when mental health was not good - 2008						11.2%	9.4%	
Ten or more days in last month when mental health was not good - 2009						10.3%	10.5%	

Community Health Assessment: Southeast District Health Department

	Otoe	Johnson	Nemaha	Pawnee	Richardson	Southeast District Total	Nebraska	United States
Standard I : Community Health Assessment Measures								
Percent of population served by community water systems (2012)	96.2%	85.8%	98.9%	113.9%	97.7%	96.9%	85.9%	
1.1.6.d. Childhood Blood Lead Levels (2009-2011)--# Elevated	8	0	7	1	7	23	737	
# of Children Tested	446	67	210	53	129	905	75,688	
% with Elevated Blood Lead Levels	1.8%	0.0%	3.3%	1.9%	5.4%	2.5%	1.0%	
1.1.6.e. Nitrate levels in public water systems (2007-2011)	3.1	1.7	2.6	1.5	3.7	2.8	2.6	
1.1.6.f. Percent of population receiving optimally fluoridated water (2012)	59.6%	68.8%	48.0%	0.0%	55.3%	52.7%	71.6%	
1.1.7. Social and Mental Health								
1.1.7.a. Prevalence of mental illness in Nebraska								
1.1.7.a. Suicide mortality--deaths/100,000 (2007-2011)	11.3	23.1	10.0	37.9	13.8	14.8	10.1	
Self-inflicted injury hospitalization--outpatient (2010-2011)	73.1	102.9	153.0	118.9	229.8	123.5	81.3	
Self-inflicted injury hospitalization--inpatient (2010-2011)	70.6	33.6	68.1	42.7	100.8	68.2	79.3	
1.1.7.c. Below is a list of some of the ways you may have felt or behaved. Please indicate								
1.1.7.d. Check the boxes indicating which life events you have experienced in the past year.								
1.1.7.e. At any time in the past year, how often have you felt: a. That you are receiving good								
1.1.7.f. I do things to manage the amount of stress in my daily life.								
1.1.7.g. Do you feel that you are effective in managing your daily stress?								
1.1.7.b Tobacco related deaths (AAR/100,000), 2007-2011	115.2	113.2	92.9	109.0	154.2	119.9	110.1	
c. Hospitalization for tobacco related disease (AAR/100,000), 2010-2011	205.8	260.5	283.1	161.2	313.8	248.1	260.9	
1.1.7.d. Alcohol related deaths (AAR/100,000), 2007-2011	26.7	33.3	43.6	60.0	28.3	33.5	29.4	
1.7.e. Hospitalized for alcohol related disease (AAR/100,000), 2010-2011	365.7	479.0	475.5	388.5	394.9	405.4	426.8	
1.1.7.f. Estimated # persons 65+ with dementia (2011)	630	187	269	146	392	1,623	48,407	
1.1.8. Maternal Child Health								
1.1.8.a. Sexual intercourse before age 15								
1.1.8.b. Total live births in 2007-2011	1,022	250	410	118	417	2,217	132,496	
1.1.8.c. Number of teen births in 2007-2011 (Ages 13-19)	75	16	32	5	45	173	10,466	
Teen births as % of total live births (2007-2011)	7.4%	6.5%	7.8%	4.2%	10.8%	7.8%	7.9%	
Teen births x age x R/E (Rate per 1,000 Live Births-2007-2011)								
Caucasian								
13-15	1.1	0.0	2.5	0.0	0.0	1.0	1.6	
16-19	63.1	52.6	75.8	44.3	105.4	71.6	60.0	
Black								
13-15	0.0	0.0	0.0	0.0	0.0	0.0	7.1	
16-19	0.0	0.0	333.3	0.0	500.0	285.7	150.8	
Native American								
13-15	0.0	0.0	0.0	0.0	0.0	0.0	8.9	
16-19	166.7	1,000.0	0.0	0.0	200.0	210.5	187.1	

Community Health Assessment: Southeast District Health Department

	Otoe	Johnson	Nemaha	Pawnee	Richardson	Southeast District Total	Nebraska	United States
Standard I : Community Health Assessment Measures								
Asian								
13-15	0.0	0.0	0.0	0.0	0.0	0.0	0.3	
16-19	250.0	0.0	0.0	0.0	0.0	133.3	34.2	
Hispanic								
13-15	0.0	0.0	0.0	0.0	0.0	0.0	7.2	
16-19	142.9	114.3	0.0	333.3	285.7	139.4	139.5	
1.1.8.e. Infant mortality by R/E (2007-2011)	4.9	4.0	4.9	0.0	4.8	4.5	5.7	
Caucasian	4.4	4.8	5.1	0.0	5.1	4.5	5.7	
Black	0.0	0.0	0.0	0.0	0.0	0.0	13.7	
Native American	0.0	0.0	0.0	0.0	0.0	0.0	8.0	
Asian	0.0	0.0	0.0	0.0	0.0	0.0	2.4	
Hispanic	8.9	0.0	0.0	0.0	0.0	6.1	5.5	
1.1.8.f. First Trimester Prenatal Care x R/E - % of births (2007-2011)	65.5%	73.8%	67.8%	72.0%	74.3%	68.9%	73.0%	
Caucasian	67.2%	74.6%	67.4%	72.6%	75.1%	69.8%	77.2%	
Black	100.0%	0.0%	66.7%	0.0%	50.0%	71.4%	57.0%	
Native American	50.0%	100.0%	0.0%	50.0%	50.0%	52.6%	54.2%	
Asian	75.0%	66.7%	100.0%	0.0%	50.0%	73.3%	67.1%	
Hispanic	49.1%	68.6%	75.0%	33.3%	57.1%	54.6%	58.1%	
1.1.8.g. Low birth weights x R/E - % of births (2007-2011)	8.2%	4.8%	7.6%	12.7%	5.8%	7.5%	7.0%	
Caucasian	8.4%	4.3%	7.6%	13.3%	5.9%	7.6%	6.5%	
Black	0.0%	0.0%	33.3%	0.0%	0.0%	14.3%	13.1%	
Native American	0.0%	0.0%	0.0%	0.0%	10.0%	5.3%	7.1%	
Asian	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	8.1%	
Hispanic	7.1%	8.6%	0.0%	0.0%	0.0%	6.7%	6.7%	
1.1.8.h. Incidence of preterm birth x R/E - % of births (2007-2011)	10.2%	7.3%	7.3%	17.0%	10.8%	9.8%	9.6%	
Caucasian	10.8%	7.2%	7.3%	16.8%	11.1%	10.1%	9.4%	
Black	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	12.6%	
Native American	0.0%	0.0%	0.0%	50.0%	20.0%	15.8%	9.3%	
Asian	0.0%	33.3%	0.0%	0.0%	0.0%	6.7%	8.7%	
Hispanic	6.3%	8.6%	12.5%	0.0%	0.0%	6.7%	8.9%	
Incidence of birth defects, 2007-2011 (Rate per 1,000 Live Births+Fetal Deaths)	97.3	163.0	92.2	33.9	86.1	98.3	93.8	
1.1.8.j. Incidence of neural tube defects, 2007-2011	0.0	0.0	4.9	0.0	7.2	2.2	1.1	
1.1.8.k. Incidence of SIDS (2007-2011)	0.0	0.0	2.4	0.0	0.0	0.5	0.7	
1.1.8.l. # cigarettes smoked per day during pregnancy								
1.1.8.m. Alcohol use during pregnancy								
Mammogram screening in past year (women age 40+) - 2007						62.8%	55.3%	

Community Health Assessment: Southeast District Health Department

	Otoe	Johnson	Nemaha	Pawnee	Richardson	Southeast District Total	Nebraska	United States
Standard I : Community Health Assessment Measures								
Mammogram screening in past year (women age 0+) - 2008						45.6%	54.5%	
Mammogram screening in past year (women age 0+) - 2010						49.5%	51.4%	
Clinical breast exam (CBE) in last 12 months (women 40+) - 2007						60.8%	67.2%	
Clinical breast exam (CBE) in last 12 months (women 40+) - 2008						48.3%	63.0%	
Clinical breast exam (CBE) in last 12 months (women 40+) - 2010						50.0%	58.7%	
1.1.8.o. Child and adolescent mortality								
Number of deaths ages 1-19 (2007-2011)	5	2	3	1	2	13	661	
2009 Population ages 1-19	3,892	990	1,740	590	1,874	9,086	480,801	
Death rate/100,000 population ages 1-19 (2007-2011)	25.7	40.4	34.5	33.9	21.3	28.6	27.5	
1.1.8.p. Causes of child and adolescent deaths								
1.1.8.q. Prevalence of overweight in children 0-5								
1.1.8.r. Proportion of children with untreated dental decay in primary and permanent teeth								
1.1.8.w. How often do you do a self-administered breast exam to check for lumps?								
1.1.8.x. At what age did you have your first menstrual cycle?								
1.1.8.y. How old were you when your first child was born?								
1.1.8.z. Have you given birth to a child weighing more than 9 pounds?								
1.1.8.aa. How many women in your family (mother, sisters, grandmothers, aunts) have had								
1.1.8.bb. Are you experiencing peri-menopausal symptoms (associated with transition to								
1.1.8.cc. Are you experiencing peri-menopausal symptoms (associated with transition to								
1.1.8.dd. Had PAP test in the last three years - 2007						80.1%	78.9%	
1.1.8.dd. Had PAP test in the last three years - 2008						76.2%	77.9%	
1.1.8.dd. Had PAP test in the last three years - 2010						70.1%	74.9%	
1.1.8.s. Percent of children who have received dental sealants								
1.1.9. Death, Illness and/or Injury Data								
1.1.9.a. Incidence of cancer (2005-2009)	438.0	491.9	452.1	397.3	483.2	453.9	477.6	
1.1.9.b. Deaths due to cancer - rate/100,000 (2007-2011)	170.3	158.2	168.9	173.0	215.1	179.6	170.9	
1.1.9.c. Cancer mortality rates x R/E (2007-2011)								
Caucasian	170.8	163.1	171.4	170.8	220.3	181.9	169.8	
Black	0.0	0.0	0.0	0.0	0.0	0.0	238.8	
Native American	896.8	0.0	0.0	0.0	0.0	69.0	147.3	
Asian	0.0	0.0	0.0	0.0	0.0	0.0	104.4	
Hispanic	0.0	0.0	0.0	0.0	0.0	0.0	91.8	
1.1.9.d. Incidence of LUNG cancer (2005-2009)	62.6	61.1	53.0	52.4	71.4	62.1	63.1	
Deaths due to LUNG cancer (2007-2011)	47.8	40.8	32.3	36.5	65.4	47.9	45.8	
1.1.9.e. Incidence of BREAST cancer (2005-2009)	112.0	108.7	128.6	75.5	152.4	121.2	125.0	
Deaths due to BREAST cancer (2007-2011)	10.6	33.6	10.8	31.4	18.0	17.0	20.0	

Community Health Assessment: Southeast District Health Department

	Otoe	Johnson	Nemaha	Pawnee	Richardson	Southeast District Total	Nebraska	United States
Standard I : Community Health Assessment Measures								
1.1.9.f. Incidence of CERVICAL cancer (2005-2009)	12.5	0.0	7.2	0.0	33.1	13.5	7.2	
Deaths due to CERVICAL cancer (2007-2011)	0.0	0.0	0.0	0.0	0.0	0.0	1.9	
1.1.9.g. Incidence of COLORECTAL cancer (2005-2009)	62.0	82.1	52.8	52.9	68.7	63.5	54.0	
Deaths due to COLORECTAL cancer (2007-2011)	15.8	18.9	12.7	17.7	25.3	18.1	17.6	
1.1.9.h. Incidence of PROSTATE cancer (2005-2009)	103.8	116.2	115.5	138.0	115.7	114.3	151.6	
Deaths due to PROSTATE cancer (2007-2011)	26.7	27.3	52.0	69.2	19.3	33.0	23.3	
1.1.9.i. Incidence of MELANOMA (2005-2009)	13.9	10.0	20.5	15.5	8.8	14.0	18.1	
Deaths due to MELANOMA (2007-2011)	2.7	0.0	5.4	8.9	3.0	3.5	2.9	
1.1.9.j. Incidence of LYMPHOMA (2005-2009)	23.4	44.0	32.4	15.6	22.3	26.2	24.2	
Deaths due to LYMPHOMA (2007-2011)	4.7	7.4	12.9	12.3	12.8	9.1	7.3	
1.1.9.k. Incidence of LEUKEMIA (2005-2009)	15.9	10.5	6.1	23.2	14.0	13.3	14.1	
Deaths due to LEUKEMIA (2007-2011)	7.9	8.1	7.4	2.6	6.6	7.0	6.9	
1.1.9.l. Incidence of diabetes								
1.1.9.l. Prevalence of diabetes among adults aged 18+	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!	
Prevalence of diabetes among adults (%) - 2007						6.6%	6.7%	
Prevalence of diabetes among adults (%) - 2008						7.7%	7.3%	
Prevalence of diabetes among adults (%) - 2009						7.0%	7.0%	
Prevalence of diabetes among adults (%) - 2010						10.8%	7.2%	
1.1.9.m Diabetes related deaths (2007-2011)	88.1	111.2	80.9	121.1	111.0	98.2	83.3	
1.1.9.n. Hospitalization for uncontrolled diabetes (AAR/100,000), 2010-2011	20.6	7.4	5.7	22.0	28.3	18.0	32.9	
1.1.9.o. Deaths due to coronary heart disease (2006-2010)	84.1	117.0	85.0	64.0	109.2	92.5	86.5	
1.1.9.p. Hospitalizations for congestive heart failure (AAR/100,000), 2010-2011	53.5	93.5	34.3	5.5	56.3	51.2	50.4	
1.1.9.q. Hypertension prevalence & screening percent of adults w/high blood pressure;								
Prevalence of high blood pressure - adults (2005)						26.4%	26.8%	
Prevalence of high blood pressure - adults (2007)						28.6%	25.4%	
Prevalence of high blood pressure - adults (2009)						29.2%	25.5%	
1.1.9.r. Hypercholesterolemia prevalence & screening percent of adults with high blood								
Percent of adults aged 18+ with high blood cholesterol level (2007)						34.8%	31.9%	
Percent of adults aged 18+ with high blood cholesterol level (2009)						30.5%	32.2%	
1.1.9.s. Deaths due to stroke (2007-2011)	49.4	79.2	50.9	42.9	48.5	52.3	40.3	
1.1.9.t. Pediatric asthma hospitalizations (aged 1-14), 2010-2011 (patients)	1	0	1	0	2	4	474	
Population aged 1-14 (2011)	2,873	785	1,177	442	1,357	6,634	359,631	
Pediatric asthma hospitalizations (rate/1,000), 2010-2011	0.2	0.0	0.4	0.0	0.7	0.3	0.7	
1.1.9.u. Emergency room visits for asthma (patients), 2010-2011	2.0	0.0	0.0	0.0	0.0	2.0	834.0	
1.1.9.v. Asthma inpatient hospital discharges (AAR/100,000), 2010-2011	25.7	69.2	34.2	0.0	73.2	41.1	46.4	
Average annual death rates due to asthma (rate/100,000), 2007-2011	0.0	2.0	4.1	4.6	2.1	1.8	1.4	

Community Health Assessment: Southeast District Health Department

	Otoe	Johnson	Nemaha	Pawnee	Richardson	Southeast District Total	Nebraska	United States
Standard I : Community Health Assessment Measures								
Deaths due to chronic obstructive pulmonary disease (aka chronic lower respiratory	59.3	50.0	46.2	65.1	82.0	61.4	49.6	
1.1.9.z. Do you currently have or have you ever had any of the following? Allergies, arthritis								
Ever told you have arthritis (2007)						26.6%	26.8%	
Ever told you have arthritis (2009)						27.9%	24.3%	
Ever told you have asthma (lifetime), 2008						10.9%	10.5%	
Ever told you have asthma (lifetime), 2009						11.3%	11.7%	
Ever told you have asthma (lifetime), 2010						10.8%	12.5%	
Have coronary heart disease (2008)						3.6%	3.9%	
Have coronary heart disease (2009)						3.7%	3.5%	
Have coronary heart disease (2010)						4.4%	3.8%	
1.1.9.aa. Has a natural brother, sister, child, parent or grandparent of yours had any of the								
1.1.9.bb. In the past 6 months, what is the total number of days you have been away from								
1.1.9.cc. In the past 6 months, what is the total number of days you have been away from								
1.1.9.dd. About how many hours altogether did you work in the past 14 days?								
1.1.9.ee. In the past 6 months, what is the total number of days you have been away from								
1.1.9.ff. Over the past 4 weeks (28 days) how many days have you spent away from work								
1.1.9.gg. How many men in your family (father, brothers, grandfathers, uncles) have had								
1.1.9.y. Chronic lung disease deaths, 2007-2011	57.4	36.5	38.0	56.2	72.9	54.8	44.4	
1.1.9.z. Incidence of occupational injuries/illnesses/farm injuries								
1.1.9.aa. Unintentional injury deaths, 2007-2011	42.4	50.3	44.1	71.0	51.5	47.1	35.8	
1.1.9.ab. Motor vehicle deaths and rates, 2007-2011	24.7	25.3	6.3	18.3	17.4	19.2	12.8	
1.1.9.ac. Homicides and rates, 2007-2011	2.0	0.0	1.2	4.9	0.0	0.9	3.9	
1.1.9.ad. Work-related accidental death rates, 2007-2011	1.9	0.0	0.0	0.0	3.0	1.5	0.7	
1.1.9.ae. Hospitalizations - all causes (AAR/100,000), 2010-2011	7,051	7,168	7,273	5,791	7,454	7,072	7,805	
1.1.9.ag. Leading payer types for hospitalizations								
1.1.10. Communicable Disease Data								
1.1.10.a. Incidence of vaccine preventable diseases; Hepatitis A & B (06-10)	5.2	3.9	11.5	0.0	0.0	4.7	16.6	
1.1.10.a. Incidence of vaccine preventable diseases; Hepatitis A & B (07-11)	3.9	3.9	8.8	0.0	0.0	3.7	15.9	
1.1.10.b. Adult immunization (65+)								
Pneumonia (2008) (Ever had)						65.7%	70.7%	
Pneumonia (2009)						67.8%	69.1%	
Pneumonia (2010)						70.8%	71.0%	
Influenza (2007)						79.1%	76.8%	
Influenza (2008)						76.8%	75.7%	
Influenza (2009)						74.5%	74.0%	
Influenza (2010)						69.3%	71.3%	

Community Health Assessment: Southeast District Health Department

Standard I : Community Health Assessment Measures	Otoe	Johnson	Nemaha	Pawnee	Richardson	Southeast District Total	Nebraska	United States
1.1.10.c. Hospitalizations (inpatient)								
Pneumonia (2010-2011)	191.8	337.0	303.2	123.1	273.8	238.4	236.9	
Influenza (2010-2011)	12.2	0.0	6.7	10.4	16.0	10.2	6.6	
1.1.10.d. Reported cases of STI's x age x Type								
Primary Syphilis (2007-2011)	0.0	0.0	0.0	0.0	0.0	0.0	0.2	
Secondary Syphilis (2007-2011)	0.0	0.0	0.0	0.0	0.0	0.0	0.3	
Chlamydia (2007-2011)	186.7	118.2	140.0	76.5	137.8	151.0	293.0	
Incidence of Gonorrhea (2007-2011)	6.6	19.7	2.9	0.0	9.8	7.9	73.7	
10.e. Incidence rates age <18, all STD's (rate/100,000), 2007-2011	64.9	197.2	50.8	37.4	148.5	92.1	218.8	
10.f. Incidence rates age >17, all STD's (rate/100,000), 2007-2011	244.9	124.9	212.0	115.4	147.5	191.7	495.4	
1.1.10.g. Incidence of Genital Herpes (2006-2010)	26.0	15.7	22.9	15.4	21.9	22.5	50.0	
1.1.10.h. Incidence of HIV 2007-2011	0.0	0.0	2.9	0.0	0.0	0.5	4.5	
1.1.10.h. Incidence of AIDS 2007-2011	1.3	0.0	0.0	0.0	0.0	0.5	6.8	
1.1.10.i. Incidence of West Nile virus 2007-2011	0.0	0.0	2.8	0.0	2.4	1.0	3.2	
1.1.10.j. Incidence of TB (2007-2011)	1.3	0.0	0.0	0.0	0.0	0.5	1.6	